European Journal of Anaesthesiology 1984, 1, 371–377

Author index

Adams AP *see* Skelly AM, 253
Andrews CJ *see* Sinclair ME, 345
Anger C & Prys-Roberts C. Plasma serotonin concentrations during and after cardiac surgery, 11
Antic J. Anaesthesia in the light of international law in peace time and in war, 166P
Arroyo JL, Reiner RP, Carrascosa F, Roux C, Rodriguez JM & Dawson E. Interrelationships between prostacyclin and vasoactive substances during anaesthesia, 166P

Bahar M, Cole G, Rosen M & Vickers MD. Histopathology of the spinal cord after intrathecal cocaine, bupivacaine, lignocaine and adrenaline in the rat, 293
Bahar M. Nunn JF, Rosen M & Flecknell P. Differential sensory and motor blockade after spinal cocaine in the rat and marmoset, 31
Bain JA, Dick W, Englesson S, Glover J, Pollard B, Thompson W, Youngberg JA & Spoerel WE. Does geographical location influence inflow requirements of the Bain breathing system?, 37
Beatty PCW *see* Cohen AT, 63
Bellocq JP *see* Pottecher T, 361
Berger M *see* Evron S, 45
Bettles ND *see* Zorab JSM, 85
Bilaine J *see* Pottecher T, 305
Blanloeil YAG *see* Pinaud MLJ, 21
Boscoe MJ *see* Skelly AM, 253
Bredbacka S, Kawachi S, Kirk B & Norlander O. Measurement of gas exchange and caloric demand during ventilator treatment: comparison of two different methods, 143P
Browne GF & Walsh A. Transient hyperkalaemia due to systemic absorption of glycine irrigation fluid during transuretheral resection of the prostate: a possible cause of acute cardiovascular collapse, 150P

Carrasco MS, Torres LM & Lecron L. Intrathecal ketamine: motor blocking in the dog, 169P
Carrasco-Jimenez MS, Torres-Morera LM & Nogueroles F. Naloxone inhibition of subarachnoid ketamine-induced analgesia in dogs, 168P
Carrie LES & O'Sullivan G. Subarachnoid bupivacaine 0·5% for Caesarean section, 275
Cashman JN, Jones RM & Thompson MA. Renin-angiotensin activation is not primarily responsible for the changes in mean arterial pressure during sternotomy in patients undergoing cardiac surgery, 299
Charlton AJ *see* Lindahl SGE, 269
Cohen AT, Beatty PCW, Kay B & Healy TEJ. Measurement of oxygen uptake: a method for use during nitrous oxide in oxygen anaesthesia, 63
Cole G *see* Bahar M, 293
Collier PS *see* Elliott P, 163P, 245

Dawling S *see* SkellyAM, 253
Desmonts JM *see* Pottecher T, 305
Dick W *see* Bain JA, 37
Dundee JW *see* Elliott P, 163P, 245
Dworacek B & Rupreht J. Is central cholinergic blockade essential for the anaesthetic state?, 154P
Dye A *see* Sinclair ME, 345

Elliott P, Dundee JW, Elwood RJ & Collier PS. The influence of H_2 receptor antagonists on the plasma concentrations of midazolam and temazepam, 163P, 245
Elwood RJ *see* Elliott P, 163P, 245
Englesson S *see* Bain JA, 37
Erdmann W & Faithfull NS. Tissue oxygenation by perfluorochemical blood substitutes, 146P
Evron S, Sadovsky E & Magora F. The effect of phenoxybenzamine on postoperative urinary retention after epidural morphine analgesia, 157P
Evron S, Samueloff A, Sadovsky E, Berger M & Magora F. The effect of phenoxybenzamine on postoperative urinary complications during extradural morphine analgesia, 45

Fassoulaki A & Kaniaris P. Adrenocortical function of patients with advanced breast carcinoma: is pretreatment with steroids for bilateral adrenalectomy necessary?, 168P
Farrow SC, Fowkes FGR, Lunn JN, Robertson IB & Sweetnam P. Epidemiology in anaesthesia: a method for predicting hospital mortality, 77
Ferres CJ *see* Mirakhur RK, 353
Flecknell P *see* Bahar M, 31
Foëx P, Philbin DM, Ryder WA & Jones LA. Nitrous oxide depresses the normal and compromised myocardium, 149P
Forrler M *see* Pottecher T, 361
Fowkes FGR *see* Farrow SC, 77

Glover J *see* Bain JA, 37
Greenhough SC. Microcomputer program for the determination of haemodynamic indices using measurements obtained with a balloon-tipped pulmonary artery catheter, 133

Harris D *see* Zorab JSM, 85
Hatch DJ *see* Lindahl SGE, 269
Hatton F *see* Pottecher T, 305
Hawking JM *see* Manchikanti L, 123
Healy TEJ *see* Cohen AT, 63
Honkavaara P *see* Linko K, 285

Jastrebski J, Wyszynski C, Szczepanski M, Hilgier M & Wojtczak J. Naloxone in the treatment of hypotension in shock, 157P
Jones RM *see* Cashman JN, 299

Kay B *see* Cohen AT, 63
Kergueris MF *see* Pinaud M, 55
Kersting Th, Reinhart K, Fleckenstein W, Dennhardt R, Eyrich K & Weiss Ch. Influence of low dose dopamine on muscle Po_2 in intensive care patients, 147P
Khosropour R, Lackner F & Zimpfer M. AQ-A 39: a new calcium antagonist to counteract tachycardia caused by catecholamines, 148P
Kilian J, Ahnefeld FW & Spilker ED. Respiratory insufficiency as a complication of lung contusion after polytrauma, 139P
Korttila K, Hynynen M & Wirtavuori K. Alfentanil and fentanyl as adjuncts to thiopentone for induction of anaesthesia, 162P
Krause D *see* Pottecher T, 361

Larousse C *see* Pinaud M, 55
Lasserre MP *see* Pinaud M, 55
Lassner J. Editorial: The European Academy of Anaesthesiology, 3
Lienhart A, Guggiari M & Viars P. Cardiovascular effects of muscle relaxants in critically ill patients, 148P
Lindahl SGE, Charlton AJ & Hatch DJ. Accuracy of prediction of fresh gas flow requirements during spontaneous breathing with the T-piece, 269
Linko K, Honkavaara P & Nieminen M-T. Heated humidification in major abdominal surgery, 285
Linko K, Wirtavuori K & Tammisto T. Ventilatory response to progressive curarization in patients during light halothane, N_2O in O_2 anaesthesia, 105
Lucas B *see* Pinaud MLJ, 21
Lunn JN, Farrow S & Fowkes FG. Predicting the outcome, 165P
Lunn JN *see* Farrow SC, 77
Lynn PA *see* Zorab JSM, 85

McCracken JE *see* Manchikanti L, 123
Magora F *see* Evron S, 45
Manchikanti L, Hawkins JM, McCracken JE & Roush JR. Effects of pre-anaesthetic glycopyrrolate and cimetidine on gastric fluid acidity and volume in children, 123
Meignier M *see* Pinaud M, 55
Milhaud A, Brille P, Boudin G, Vaquette C, Starobinsky E, Daelman FL, Postel JP & Tondriaux A. CO_2 laser resistant endotracheal silicone tubes, 144P
Mirakhur RK & Ferres CJ Muscle relaxation with an infusion of vecuronium, 353
Moerman E *see* Rolly G, 327

Nieminen M-T *see* Linko K, 285
Normand Y Le *see* Pinaud M, 55
Novelli GP, Peduto VA & Pieraccioli E. Action of aprotinin on the opiate system of the rat, 153P
Nunn JF *see* Bahar M, 31

O'Sullivan G *see* Carrie LES, 275
Otteni JC *see* Pottecher T, 305, 361

Paton WDM. How far do we understand the mechanisms of anaesthesia?, 93
Payen DM *see* Pinaud MLJ, 21
Phillips KC *see* Sear JW, 319
Picardat P *see* Pottecher T, 361
Pinaud MLJ, Blanloeil YAG, Payen DM & Lucas B. Systemic and carotid haemodynamics and plasma renin activity during deliberate hypotension in dogs: a comparison of sodium nitroprusside with nicergoline, 21
Pinaud M, Meignier M, Kergueris MF, Normand Y Le, Lasserre MP, Souron R & Larousse C. Pharmacokinetics of intravenous and intramuscular methohexitone in dogs, 55
Pollard B *see* Bain JA, 37
Pottecher T, Forrler M, Picardat P, Krause D, Bellocq JP & Otteni JC. Thrombogenicity of central venous catheters: prospective study of polyethylene, silicone and polyurethane catheters with phlebography or post-mortem examination, 361
Pottecher T, Tiret L, Desmonts JM, Hatton F, Bilaine J & Otteni JC. Cardiac arrest related to anaesthesia: a prospective survey in France (1978–1982), 305
Prys-Roberts C *see* Sear JW, 319
Prys-Roberts C *see* Sinclair ME, 345

Robertson B. Surfactant replacement in neonatal and adult respiratory distress syndrome, 335
Rolly G, Versichelen L & Moerman E. Cardiovascular, metabolic and hormonal changes during isoflurane N_2O anaesthesia, 161P, 327
Rondio Z, Jonzon A, Norsted T & Sedin G. The influence of the ventilatory pattern in IPPV on functional residual capacity, alveolar dead space and inspiratory activity, 142P
Rosen M *see* Bahar M, 31
Rosen M *see* Bahar M, 293
Roush JR *see* Manchikanti L, 123
Rupreht J, Dworacek B, Dzoljic MR & Admiraal PV. Effect of selective enkephalinase inhibition on development of tolerance to nitrous oxide in rats, 151P

Sadovsky E *see* Evron S, 45
Samueloff A *see* Evron S, 45
Sanders, RS *see* Sear JW, 113
Schepp RM & Erdmann W. Closed circle anaesthesia and automatically controlled ventilation: availability of on-line registration of cardiorespiratory parameters (Vo_2, Vco_2, FRC), 143P
Schuh FT. Antagonism of neuromuscular blockade by neostigmine, 158P
Schwilden H, Stoeckel H, Schüttler J & Lauven PM. A method of determining the therapeutic range of etomidate, 164P
Sear JW, Prys-Roberts C & Phillips KC. Age influences the minimum infusion rate (ED_{50}) for continuous infusions of Althesin and methohexitone, 319
Sear JW & Saunders RS. Intra-patient comparison of the kinetics of alphaxalone and alphadolone in man, 113
Simonescu R. Method of low flow anaesthesia, 145P
Sinclair ME, Andrews CJ, Prys-Roberts C & Dye A. Ventilatory effects of nitrous oxide during continuous infusion of fentanyl or alfentanil, 345
Skelly AM, Boscoe MJ, Dawling S & Adams AP. A comparison of diazepam and midazolam as sedatives for minor oral surgery, 253
Smith G, Hunt P & Cotton BR. Pancuronium but not atracurium increases lower oesophageal sphincter pressure, 160P
Souron R *see* Pinaud M, 55
Spoerel WE *see* Bain JA, 37

Tammisto T *see* Linko K, 105
Thompson MA *see* Cashman JN, 299
Thompson W *see* Bain JA, 37
Tiengo M, Benelli G, Carenzi A & Fedele G. Effect of dipeptidylcarboxypeptidase inhibition on mean arterial pressure (MAP) and on the pressure response produced by splanchnic nerve stimulation in spinalized cat, 155P
Tiret L *see* Pottecher T, 305
Trouwborst A, Erdmann W, Yanagida H & Corssen G. The pituitary region and the central control of pain: experimental studies and human application of electrostimulation, 156P

Versichelen L *see* Rolly G, 161P, 327
Vickers MD *see* Bahar M, 293

Weber W, Madler Ch, Peter K & Chaussy Ch. Anaesthesia in extracorporeal shock wave lithotripsy, 160P
Weis KH & Lazarus G. Pulmonary gas exchange: the limiting factor in intensive care?, 140P
Wendt M. Systematics for respiratory therapy, 141P
Whitwam JG. Editorial: Functional dead space during high frequency ventilation, 7
Wirtavuori K *see* Linko K, 105
Wren WS. Airway pressure measurements during high frequency positive pressure ventilation (HFPPV) in infants and children, 141P

Yaksh TL. Multiple opioid receptor systems in brain and spinal cord: Part I, 171
Yaksh, TL. Multiple opioid receptor systems in brain and spinal cord: Part 2, 201
Youngberg JA *see* Bain JA, 37

Zorab JSM, Bettles ND, Lynn PA & Harris D. A computerized neuromuscular blockade monitor with visual display unit: a preliminary report, 85

Subject index

abdominal surgery, heated humidification in, 285
adrenaline, intrathecal, histopathology of spinal cord, 293
alfentanil, adjunct to thiopentone for anaesthesia induction, 162P
alfentanil, continuous infusion of, ventilatory effects of nitrous oxide during, 345
alphadolone, kinetics in man, comparison with alphaxalone, 113
alphaxalone, kinetics in man, comparison with alphadolone, 113
Althesin, continuous infusions of, age influences the minimum infusion rate (ED_{50}) for, 319
aprotinin, action on opiate system, 153P
automatically controlled ventilation, with closed circle anaesthesia, 143P

Bain breathing system, geographical location influence on inflow requirements, 37
bupivacaine, subarachnoid, for Caesarian section, 275

Caesarean section, subarachnoid bupivacaine for, 275
calcium antagonist, to counteract catecholamine tachycardia, 148P
cardiac arrest, related to anaesthesia, 305
cardiac surgery, plasma serotonin concentrations during and after, 11
cardiac surgery, renin-aniotensin activation and mean arterial pressure changes during sternotomy, 299
cardiovascular, changes during isoflurane N_2O anaesthesia, 161P, 327
catheters, thrombogenicity of, 361
cholinergic blockade, central, essential for anaesthetic state, 154P
cimetidine, effects of, on gastric fluid acidity and volume, 123
closed circle anaesthesia, with automatically controlled ventilation, 143P
cocaine, intrathecal, histopathology of spinal cord, 293
cocaine, spinal, differential sensory and motor blockade, 31
curarization, progressive, ventilatory response to, 105

diazepam, sedative for minor oral surgery, 253
dipeptidylcarboxypeptidase inhibition, effect of, 155P
dopamine, influence of, on muscle Po_2, 147P

endotracheal tubes, CO_2 laser resistant, 144P
enkephalinase inhibition, effect of on tolerance to nitrous oxide, 151P
epidemiology, in anaesthesia, 77
etomidate, determination of therapeutic range, 164P
European Academy of Anaesthesiology, Editorial, 3
European Academy of Anaesthesiology, proceedings of 4th Annual Meeting, 139P

fentanyl, adjunct to thiopentone for anaesthesia induction, 162P
fentanyl, continuous infusion of, ventilatory effects of nitrous oxide during, 345

gas flow requirements, accuracy of prediction during spontaneous breathing with T-piece, 269
glycopyrrolate, effects of, on gastric fluid acidity and volume, 123

haemodynamic indices, microcomputer program for, 133
haemodynamics, systemic and carotid during hypotension, 21
heated humidification, major abdominal surgery, 285
high frequency positive pressure ventilation, airway pressure measurement during, 141P
high frequency ventilation, functional dead space during, 7
hormonal, changes during isoflurane N_2O anaesthesia, 161P, 327
H_2 receptor antagonist, influence of, on plasma concentrations of midazolam and temazepam, 245

hyperkalaemia, transient, due to systemic absorption of glycine irrigation fluid, 150P
hypotension, haemodynamics and plasma renin activity during, 21
hypotension, naloxone treatment in shock, 157P

isoflurane N_2O anaesthesia, changes during, 161P, 327

lignocaine, intrathecal, histopathology of spinal cord, 293
low flow anaesthesia, method of, 145P
lung contusion, respiratory insufficiency as a complication of, 139P

mechanisms of anaesthesia, 93
metabolic, changes during isoflurane N_2O anaesthesia, 161P, 327
methohexitone, continuous infusion of, age influences the minimum infusion rate (ED_{50}) for, 319
methohexitone, intravenous and intramuscular, pharmacokinetics of, 55
midazolam, plasma concentrations of, influence of H_2 receptor antagonists on, 163P, 245
morphine, epidural, effect of phenoxybenzamine, 157P
morphine, extradural, effect of phenoxybenzamine on postoperative complications during, 45
motor blockade, after spinal cocaine, 31
muscle relaxants, cardiovascular effects of, 148P
muscle relaxation, with infusion of vecuronium, 353
myocardium, nitrous oxide depression, 149P

naloxone, hypotension treatment in shock, 157P
neostigmine, antagonism of neuromuscular blockade by, 158P
neuromuscular blockade monitor, computerized with visual display unit, 85
nicergoline, haemodynamics and renin activity during hypotension, 21

oesophageal sphincter pressure, lower, effect of pancuronium and atracurium, 160P
opioid receptor systems, multiple, in brain and spinal cord, 171, 201
oral surgery, diazepam as sedative for, 253
oxygen uptake, measurement of, during nitrous oxide anaesthesia, 63

phenoxybenzamine, effect of, after epidural morphine, 157P
phenoxybenzamine, effect of, during extradural morphine anaesthesia, 45
pituitary region, and central control of pain, 156P
prostacyclin, interrelationship with vasoactive substances during anaesthesia, 166P
pulmonary gas exchange, 140P

renin-angiotensin activation, mean arterial pressure changes during sternotomy, 299
renin activity, systemic and carotid during hypotension, 21
respiratory distress syndrome, surfactant replacement in neonatal and adult respiratory distress syndrome, 161P, 335
respiratory insufficiency, complication of lung contusion, 139P
respiratory therapy, systematics for, 141P

sensory blockade, after spinal cocaine, 31
serotonin, plasma concentrations during and after cardiac surgery, 11
shockwave lithotripsy, extracorporeal, 160P
sodium nitroprusside, haemodynamics and renin activity during hypotension, 21
spontaneous breathing, with T-piece, gas flow requirements during, 269
surfactant replacement, in neonatal and adult respiratory distress syndrome, 335

temazepam, plasma concentrations of, influence of H_2 receptor antagonists on, 163P, 245
thrombogenicity, of catheters, 361
tissue oxygenation, by perfluorochemical blood substitutes, 146P

vasoactive substances, interrelationship with prostacylin during anaesthesia, 166P
vecuronium, muscle relaxation with, 353
ventilator treatment, measurement of gas exchange and caloric demand during, 143P
ventilatory effects, of nitrous oxide with fentanyl and alfentanil, 345
ventilatory pattern, influence of, 142P
ventilatory response, to progressive curarization, 105

EUROPEAN JOURNAL OF ANAESTHESIOLOGY

Edited by

M D VICKERS and E NILSSON

Volume I

Pages 1–380

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD · LONDON · EDINBURGH · BOSTON

PALO ALTO · MELBOURNE

1984

Published by Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108, USA
744 Cowper Street, Palo Alto, California 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1984 European Academy of Anaesthesiology.
Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by the European Academy of Anaesthesiology for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $02.00 per copy is paid directly to CCC, 21 Congress Street, Salem, MA 01970, USA. Special requests should be addressed to the Editor. 0265–0215/84 $02.00

Printed and bound in Great Britain
by Latimer Trend & Company Ltd, Plymouth

Contents

Volume 1, Number 1, March 1984

Editorial 1

J. LASSNER: Editorial: The European Academy of Anaesthesiology 3

J. G. WHITWAM: Editorial: Functional dead space during high frequency ventilation 7

CHRISTIAN ANGER and CEDRIC PRYS-ROBERTS: Plasma serotonin concentrations during and after cardiac surgery 11

MICHEL L. J. PINAUD, YVONNICK A. G. BLANLOEIL, DIDIER M. PAYEN and BRIGITTE LUCAS: Systemic and carotid haemodynamics and plasma renin activity during deliberate hypotension in dogs: a comparison of sodium nitroprusside with nicergoline 21

M. BAHAR, J. F. NUNN, M. ROSEN and P. FLECKNELL: Differential sensory and motor blockade after spinal cocaine in the rat and marmoset 31

JAMES A. BAIN, WOLFGANG DICK, SOREN ENGLESSON, JOANNA GLOVER, BRIAN POLLARD, WALTER THOMPSON, JOHN A. YOUNGBERG and WOLFGANG E. SPOEREL: Does geographical location influence inflow requirements of the Bain breathing system? 37

S. EVRON, A. SAMUELOFF, E. SADOVSKY, M. BERGER and FLORELLA MAGORA: The effect of phenoxybenzamine on postoperative urinary complications during extradural morphine analgesia 45

MICHEL PINAUD, MICHEL MEIGNIER, MARIE FRANCE KERGUERIS, YVES LE NORMAND, MARIE PAULE LASSERRE, REMI SOURON and CLAUDE LAROUSSE: Pharmacokinetics of intravenous and intramuscular methohexitone in dogs 55

A. T. COHEN, P. C. W. BEATTY, B. KAY and T. E. J. HEALY: Measurement of oxygen uptake: a method for use during nitrous oxide in oxygen anaesthesia 63

S. C. FARROW, F. G. R. FOWKES, J. N. LUNN, I. B. ROBERTSON and P. SWEETNAM: Epidemiology in anaesthesia: a method for predicting hospital mortality 77

JOHN S. M. ZORAB, N. D. BETTLES, P. A. LYNN and DAVID HARRIS: A computerized neuromuscular blockade monitor with visual display unit: a preliminary report . 85

SIR WILLIAM D. M. PATON: How far do we understand the mechanisms of anaesthesia? 93

Volume 1, Number 2, June 1984

K. LINKO, K. WIRTAVUORI and T. TAMMISTO: Ventilatory response to progressive curarization in patients during light halothane, N_2O in O_2 anaesthesia 105

J. W. SEAR and R. S. SANDERS: Intra-patient comparison of the kinetics of alphaxalone and alphadolone in man 113

LAXMAIAH MANCHIKANTI, JAMES M. HAWKINS, JOHN E. MCCRACKEN and JAMES R. ROUSH: Effects of pre-anaesthetic glycopyrrolate and cimetidine on gastric fluid acidity and volume in children 123

STEPHEN G. GREENHOUGH: Microcomputer program for the determination of haemodynamic indices using measurements obtained with a balloon-tipped pulmonary artery catheter 133

Proceedings of the European Academy of Anaesthesiology 4th Annual Meeting Stockholm, 1–4 September 1983 . . . . . 139P

TONY L. YAKSH: Multiple opioid receptor systems in brain and spinal cord: *Part 1* . 171

Volume 1, Number 3, September 1984

TONY L. YAKSH: Multiple opioid receptor systems in brain and spinal cord: *Part 2* . 201
P. ELLIOTT, J. W. DUNDEE, R. J. ELWOOD and P. S. COLLIER: The influence of H_2 receptor antagonists on the plasma concentrations of midazolam and temazepam 245
ANN M. SKELLY, M. J. BOSCOE, SHEILA DAWLING and A. P. ADAMS: A comparison of diazepam and midazolan as sedatives for minor oral surgery 253
S. G. E. LINDAHL, A. J. CHARLTON and D. J. HATCH: Accuracy of prediction of fresh gas flow requirements during spontaneous breathing with the T-piece 269
L. E. S. CARRIE and G. O'SULLIVAN: Subarachnoid bupivacaine 0.5% for Caesarean section 275
K. LINKO, P. HONKAVAARA and M-T. NIEMINEN: Heated humidification in major abdominal surgery 285
M. BAHAR, G. COLE, M. ROSEN and M. D. VICKERS: Histopathology of the spinal cord after intrathecal cocaine, bupivacaine, lignocaine and adrenaline in the rat. 293
J. N. CASHMAN, R. M. JONES and M. A. THOMPSON: Renin-angiotensin activiation is not primarily responsible for the changes in mean arterial pressure during sternotomy in patients undergoing cardiac surgery 299

Volume 1, Number 4, December 1984

T. POTTECHER, L. TIRET, J. M. DESMONTS, F. HATTON, J. BILAINE and J. C. OTTENI: Cardiac arrest related to anaesthesia: a prospective survey in France (1978–1982) . . . 305
J. W. SEAR, C. PRYS-ROBERTS and K. C. PHILLIPS: Age influences the minimum infusion rate (ED_{50}) for continuous infusions of Althesin and methohexitone 319
G. ROLLY, L. VERSICHELEN and E. MOERMAN: Cardiovascular, metabolic and hormonal changes during isoflurane N_2O anaesthesia 327
BENGT ROBERTSON: Surfactant replacement in neonatal and adult respiratory distress syndrome 335
M. E. SINCLAIR, C. J. ANDREWS, C. PRYS-ROBERTS and ANNE DYE: Ventilatory effects of nitrous oxide during continuous infusion of fentanyl or alfentanil 345
R. K. MIRAKHUR and C. J. FERRES: Muscle relaxation with an infusion of vecuronium . 353
T. POTTECHER, M. FORRLER, P. PICARDAT, D. KRAUSE, J. P. BELLOCQ and J. C. OTTENI: Thrombogenicity of central venous catheters: prospective study of polyethylene, silicone and polyurethane catheters with phlebography or post-mortem examination 361
Correspondence 367
Announcement 369
Index 371